

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Refine Search

Search Results -

Terms	Documents
L2 and L28	1

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L29

Refine Search

Recall Text



Clear

Interrupt

Search History

DATE: Monday, August 16, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L29</u>	l2 and L28	1	<u>L29</u>
<u>L28</u>	6366622	16	<u>L28</u>
<u>L27</u>	L26 not l6	0	<u>L27</u>
<u>L26</u>	l1 and l2 and l5 and L25	9	<u>L26</u>
<u>L25</u>	data transmission	55253	<u>L25</u>
<u>L24</u>	L23 not l6	3	<u>L24</u>
<u>L23</u>	l22 not l11	9	<u>L23</u>
<u>L22</u>	l1 and l2 and l12 and L21	11	<u>L22</u>
<u>L21</u>	l4 or l5	1108300	<u>L21</u>
<u>L20</u>	L19 not l13	1	<u>L20</u>
<u>L19</u>	piconet and l2 and l12	2	<u>L19</u>
<u>L18</u>	L17 not l13	1	<u>L18</u>
<u>L17</u>	l2 and L16	2	<u>L17</u>
<u>L16</u>	l4 and L15	46	<u>L16</u>
<u>L15</u>	l12 and L14	76	<u>L15</u>
<u>L14</u>	piconet and (bluetooth or blue-tooth)	109	<u>L14</u>
<u>L13</u>	l11 and L12	2	<u>L13</u>

<u>L12</u>	master and slave	20180	<u>L12</u>
<u>L11</u>	L10 not l7	14	<u>L11</u>
<u>L10</u>	l1 and L9	23	<u>L10</u>
<u>L9</u>	l2 and l8 and power	66	<u>L9</u>
<u>L8</u>	sleep\$3 mode	4543	<u>L8</u>
<u>L7</u>	l2 and l5 and power	9	<u>L7</u>
<u>L6</u>	l3 and L5	9	<u>L6</u>
<u>L5</u>	sleep (period or time)	1215	<u>L5</u>
<u>L4</u>	sleep or predetermined	1108300	<u>L4</u>
<u>L3</u>	l1 and L2	102	<u>L3</u>
<u>L2</u>	transceiver same stop\$4	1126	<u>L2</u>
<u>L1</u>	power consumption	78305	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text" value="l38 not l6"/>
--------------	---

Display:	<input type="text" value="10"/> Documents in Display Format:	<input type="text" value="KWIC"/> Starting with Number	<input type="text" value="1"/>
-----------------	--	--	--------------------------------

Generate:	<input type="radio"/> Hit List	<input checked="" type="radio"/> Hit Count	<input type="radio"/> Side by Side	<input type="radio"/> Image
------------------	--------------------------------	--	------------------------------------	-----------------------------

Search History

DATE: Monday, August 16, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L39</u>	l38 not l6	8	<u>L39</u>
<u>L38</u>	controller and L36	16	<u>L38</u>
<u>L37</u>	piconet and L36	0	<u>L37</u>
<u>L36</u>	l5 and L35	24	<u>L36</u>
<u>L35</u>	l1 and L34	406	<u>L35</u>
<u>L34</u>	l25 and L33	2138	<u>L34</u>
<u>L33</u>	l4 and L32	6888	<u>L33</u>
<u>L32</u>	transceiver and stop\$4	9817	<u>L32</u>
<u>L31</u>	stop\$4 and L30	1	<u>L31</u>
<u>L30</u>	l28 and l25	6	<u>L30</u>
<u>L29</u>	l2 and L28	1	<u>L29</u>
<u>L28</u>	6366622	16	<u>L28</u>
<u>L27</u>	L26 not l6	0	<u>L27</u>
<u>L26</u>	l1 and l2 and l5 and L25	9	<u>L26</u>
<u>L25</u>	data transmission	55253	<u>L25</u>
<u>L24</u>	L23 not l6	3	<u>L24</u>
<u>L23</u>	l22 not l11	9	<u>L23</u>
<u>L22</u>	l1 and l2 and l12 and L21	11	<u>L22</u>
<u>L21</u>	l4 or l5	1108300	<u>L21</u>

<u>L20</u>	L19 not l13	1	<u>L20</u>
<u>L19</u>	piconet and l2 and l12	2	<u>L19</u>
<u>L18</u>	L17 not l13	1	<u>L18</u>
<u>L17</u>	l2 and L16	2	<u>L17</u>
<u>L16</u>	l4 and L15	46	<u>L16</u>
<u>L15</u>	l12 and L14	76	<u>L15</u>
<u>L14</u>	piconet and (bluetooth or blue-tooth)	109	<u>L14</u>
<u>L13</u>	l11 and L12	2	<u>L13</u>
<u>L12</u>	master and slave	20180	<u>L12</u>
<u>L11</u>	L10 not l7	14	<u>L11</u>
<u>L10</u>	l1 and L9	23	<u>L10</u>
<u>L9</u>	l2 and l8 and power	66	<u>L9</u>
<u>L8</u>	sleep\$3 mode	4543	<u>L8</u>
<u>L7</u>	l2 and l5 and power	9	<u>L7</u>
<u>L6</u>	l3 and L5	9	<u>L6</u>
<u>L5</u>	sleep (period or time)	1215	<u>L5</u>
<u>L4</u>	sleep or predetermined	1108300	<u>L4</u>
<u>L3</u>	l1 and L2	102	<u>L3</u>
<u>L2</u>	transceiver same stop\$4	1126	<u>L2</u>
<u>L1</u>	power consumption	78305	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L40 and L41	1

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L42

Refine Search

Recall Text



Clear

Interrupt

Search History

DATE: Monday, August 16, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L42</u>	l40 and L41	1	<u>L42</u>
<u>L41</u>	stop\$3	751593	<u>L41</u>
<u>L40</u>	6366622	16	<u>L40</u>
<u>L39</u>	l38 not l6	8	<u>L39</u>
<u>L38</u>	controller and L36	16	<u>L38</u>
<u>L37</u>	piconet and L36	0	<u>L37</u>
<u>L36</u>	l5 and L35	24	<u>L36</u>
<u>L35</u>	l1 and L34	406	<u>L35</u>
<u>L34</u>	l25 and L33	2138	<u>L34</u>
<u>L33</u>	l4 and L32	6888	<u>L33</u>
<u>L32</u>	transceiver and stop\$4	9817	<u>L32</u>
<u>L31</u>	stop\$4 and L30	1	<u>L31</u>
<u>L30</u>	l28 and l25	6	<u>L30</u>
<u>L29</u>	l2 and L28	1	<u>L29</u>
<u>L28</u>	6366622	16	<u>L28</u>
<u>L27</u>	L26 not l6	0	<u>L27</u>
<u>L26</u>	l1 and l2 and l5 and L25	9	<u>L26</u>

<u>L25</u>	data transmission	55253	<u>L25</u>
<u>L24</u>	L23 not l6	3	<u>L24</u>
<u>L23</u>	l22 not l11	9	<u>L23</u>
<u>L22</u>	l1 and l2 and l12 and L21	11	<u>L22</u>
<u>L21</u>	l4 or l5	1108300	<u>L21</u>
<u>L20</u>	L19 not l13	1	<u>L20</u>
<u>L19</u>	piconet and l2 and l12	2	<u>L19</u>
<u>L18</u>	L17 not l13	1	<u>L18</u>
<u>L17</u>	l2 and L16	2	<u>L17</u>
<u>L16</u>	l4 and L15	46	<u>L16</u>
<u>L15</u>	l12 and L14	76	<u>L15</u>
<u>L14</u>	piconet and (bluetooth or blue-tooth)	109	<u>L14</u>
<u>L13</u>	l11 and L12	2	<u>L13</u>
<u>L12</u>	master and slave	20180	<u>L12</u>
<u>L11</u>	L10 not l7	14	<u>L11</u>
<u>L10</u>	l1 and L9	23	<u>L10</u>
<u>L9</u>	l2 and l8 and power	66	<u>L9</u>
<u>L8</u>	sleep\$3 mode	4543	<u>L8</u>
<u>L7</u>	l2 and l5 and power	9	<u>L7</u>
<u>L6</u>	l3 and L5	9	<u>L6</u>
<u>L5</u>	sleep (period or time)	1215	<u>L5</u>
<u>L4</u>	sleep or predetermined	1108300	<u>L4</u>
<u>L3</u>	l1 and L2	102	<u>L3</u>
<u>L2</u>	transceiver same stop\$4	1126	<u>L2</u>
<u>L1</u>	power consumption	78305	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	L3 and L5
--------------	-----------

Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="KWIC"/> Starting with Number <input type="text" value="1"/>
-----------------	---

Generate:	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image
------------------	--

Search	Clear	Interrupt
--------	-------	-----------

Search History

DATE: Monday, August 16, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side		result set	
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L6</u>	l3 and L5	9	<u>L6</u>
<u>L5</u>	sleep (period or time)	1215	<u>L5</u>
<u>L4</u>	sleep or predetermined	1108300	<u>L4</u>
<u>L3</u>	l1 and L2	102	<u>L3</u>
<u>L2</u>	transceiver same stop\$4	1126	<u>L2</u>
<u>L1</u>	power consumption	78305	<u>L1</u>

END OF SEARCH HISTORY